



product details

64662

Product description: 64662
 Product code: 4008321097873
 Quantity: Folding carton box (FS) contains 1 Piece (PCE)

Applications	
Burning position	any

Categorizations	
LIF	M/38

General Description	
Base (standard designation)	GY9,5

Logistical Data	
Product weight	8 g

Technical - Electrical Data	
Construction wattage	300
Construction voltage	230 V
Lamp voltage	230 V

Technical - Geometries	
Diameter	15 mm
Filament length	9.00 mm
Light centre length (LCL)	46.5 mm
Illuminated field	9.0*11.0 mm ²
Length	80.00 mm
Filament diameter	11.0 mm

Technical - Lifespan	
Lifespan	2000 h

Technical - Light Technical Data	
Luminous flux	5000 lm
Color temperature	2900 K

Packaging units				
Product code	Packaging type and content	Dimensions in h x w x l	Gross weight	Volume
4008321097873	Folding carton box contains 1 Piece	42,000 mm x 42,000 mm x 111,000 mm	29,000 g (0,000 g)	0,196 Cubic dec.
4008321097880	Shipping carton box contains 12 Piece	140,000 mm x 127,000 mm x 180,000 mm	363,000 g (0,000 g)	3,200 Cubic dec.

From their designs, halogen mains voltage lamps can be categorized as single-ended and double-ended lamps. Depending on the application, they are designed to operate on 230 V, 240 V or 120 V. The color temperature of the lamps varies according to the application: 3,400 K for maximum luminous efficacy, 3,200 K for professional film and TV work, 3,000 K or 2,900 K for applications where long life is important.

Literature

For further information on pinch technology, please refer to the following brochure:
 A whole lotta shakin goin on! New halogen lamps with quartz pinch technology. (122 W 100 DE 08/05)



14.03.2011

Subject to change without notice. Errors and omission excepted.
 © 2011 OSRAM GmbH

Page 1 of 1