








K SERIES LENSES

A20 / A21 / A22 / A23 / A25 / A26
for ZK750 & ZK1050



Choose the ideal lens for your environment from a wide range of easily interchangeable options. These maximise quality and versatility and enable big-screen image projection in any space.



K SERIES LENSES

A20 / A21 / A22 / A23 / A25 / A26

Technical specifications




PROJECTION LENS	A25	A26	A20	A21	A22	A23
Throw Ratio	0.85 ~ 1.02	1.2 ~ 1.73	1.7 ~ 2.12	2.12 ~ 2.83	2.83 ~ 5.66	5.66 ~ 10.18
Zoom	1.2x	1.44x	1.25x	1.33x	2x	1.8x
Throw Distance (m)	1.47 ~ 11.41	2.09 ~ 19.57	2.97 ~ 24.08	3.75 ~ 31.62	5.05 ~ 61.71	10.05 ~ 111.86
Lens shift	see user manual for details					
Aperture	2	2.30 ~ 2.57	2.00 ~ 2.32	2.00 ~ 2.32	2.30 ~ 3.39	2.90 ~ 5.50
Focal length (mm)	9.49 ~ 9.55	14.03 ~ 17.95	18.07 ~ 22.59	18.2 ~ 22.6	22.56 ~ 42.87	42.60 ~ 80.90


DIAGONAL (inches)	HEIGHT (m)	WIDTH (m)	A25 (Distance)	A26 (Min/Max)	A20 (Min/Max)	A21 (Min/Max)	A22 (Min/Max)	A23 (Min/Max)
80	1	1.77	1.47 ~ 1.79	2.09 ~ 3.08	2.97 ~ 3.75	3.75 ~ 5.01	5.05 ~ 9.96	10.05 ~ 17.99
90	1.12	1.99	1.67 ~ 2.02	2.36 ~ 3.47	3.36 ~ 4.24	4.23 ~ 5.64	5.66 ~ 11.19	11.29 ~ 20.23
100	1.25	2.21	1.86 ~ 2.25	2.63 ~ 3.86	3.75 ~ 4.72	4.7 ~ 6.27	6.27 ~ 12.42	12.53 ~ 22.46
110	1.37	2.44	2.05 ~ 2.48	2.9 ~ 4.25	4.14 ~ 5.21	5.18 ~ 6.91	6.87 ~ 13.65	13.76 ~ 24.7
120	1.49	2.66	2.24 ~ 2.71	3.17 ~ 4.65	4.53 ~ 5.69	5.66 ~ 7.54	7.48 ~ 14.89	15 ~ 26.93
130	1.62	2.88	2.44 ~ 2.94	3.44 ~ 5.04	4.91 ~ 6.17	6.13 ~ 8.17	8.09 ~ 16.12	16.24 ~ 29.17
140	1.74	3.1	2.63 ~ 3.17	3.71 ~ 5.43	5.3 ~ 6.66	6.61 ~ 8.81	8.7 ~ 17.35	17.47 ~ 31.4
150	1.87	3.32	2.82 ~ 3.39	3.98 ~ 5.82	5.69 ~ 7.14	7.09 ~ 9.44	9.31 ~ 18.58	18.71 ~ 33.63
160	1.99	3.54	3.01 ~ 3.62	4.25 ~ 6.22	6.08 ~ 7.62	7.56 ~ 10.08	9.92 ~ 19.81	19.95 ~ 35.87
170	2.12	3.76	3.21 ~ 3.85	4.52 ~ 6.61	6.47 ~ 8.11	8.04 ~ 10.71	10.53 ~ 21.05	21.18 ~ 38.1
180	2.24	3.98	3.4 ~ 4.08	4.79 ~ 7	6.85 ~ 8.59	8.52 ~ 11.34	11.14 ~ 22.28	22.42 ~ 40.34
190	2.37	4.21	3.59 ~ 4.31	5.06 ~ 7.4	7.24 ~ 9.08	8.99 ~ 11.98	11.75 ~ 23.51	23.66 ~ 42.57
200	2.49	4.43	3.79 ~ 4.54	5.33 ~ 7.79	7.63 ~ 9.56	9.47 ~ 12.61	12.35 ~ 24.74	24.89 ~ 44.81
250	3.11	5.53	4.75 ~ 5.69	6.69 ~ 9.75	9.57 ~ 11.98	11.85 ~ 15.78	15.4 ~ 30.9	31.08 ~ 55.98
300	3.74	6.64	5.71 ~ 6.83	8.04 ~ 11.72	11.51 ~ 14.4	14.24 ~ 18.94	18.44 ~ 37.07	37.26 ~ 67.16
350	4.36	7.75	6.67 ~ 7.98	9.39 ~ 13.68	13.45 ~ 16.82	16.62 ~ 22.11	21.49 ~ 43.23	43.44 ~ 78.33
400	4.98	8.86	7.64 ~ 9.12	10.74 ~ 15.64	15.39 ~ 19.24	19 ~ 25.28	24.53 ~ 49.39	49.62 ~ 89.51
450	5.6	9.96	8.6 ~ 10.27	12.09 ~ 17.61	17.33 ~ 21.66	21.39 ~ 28.45	27.58 ~ 55.55	55.81 ~ 100.68
500	6.23	11.07	9.56 ~ 11.41	13.44 ~ 19.57	19.27 ~ 24.08	23.77 ~ 31.62	30.62 ~ 61.71	61.99 ~ 111.86

Lens technical drawings


A25



A26



A20



K SERIES LENSES

A20 / A21 / A22 / A23 / A25 / A26

Lens technical drawings

A21

PROJECTOR DIMENSION INCLUDING LENS

Dimension A



161.4mm

Dimension B

687.8mm

Lens width

97mm



A22

PROJECTOR DIMENSION INCLUDING LENS

Dimension A



196mm

Dimension B

722.4mm

Lens width

107.5mm



A23

PROJECTOR DIMENSION INCLUDING LENS

Dimension A



220.6mm

Dimension B

747mm

Lens width

97mm



optoma.com

Copyright © 2020, Optoma and its logo is a registered trademark of Optoma Corporation. Optoma Europe Ltd is the licensee of the registered trademark. All other product names and company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners. Errors and omissions excepted, all specifications are subject to change without notice. All images are for representation purposes only and may be simulated. 12/10/20 v2