

SEATTLE SERIES

PA SYSTEMS

SOUND/PA
SYSTEMS

POWER **IN** EVERY PULSE

Immerse yourself in a revolutionary audio experience with the Seattle Series. Designed with cutting-edge array drivers, these systems deliver a new dimension of sound precision and clarity, ensuring your audience experiences music, speeches, and performances like never before.



SEATTLE SERIES

PA SYSTEMS

SOUND/PA
SYSTEMS



SEATTLE SERIES

PA SYSTEMS

SOUND/PA
SYSTEMS



Seattle 500
ACTIVE ARRAY


Seattle 1000
ACTIVE ARRAY



SEATTLE SERIES

PA SYSTEMS

SOUND/PA
SYSTEMS



Seattle 261LA

ACTIVE ARRAY

Seattle 18S 2.1

ACTIVE SUBWOOFER



Seattle 6L

PASSIVE 2 WAYS SPEAKER

SEATTLE SERIES

SPECIFICATIONS

SOUND/PA SYSTEMS

MODEL	SEATTLE 500	SEATTLE 1000	SEATTLE 18S 2.1	SEATTLE 261LA	SEATTLE 6L
Type	Active Array	Active Array	Active	Active Array	Passive 2 Ways
Woofer Driver	15"	18"	18"	2x6,5"	6,5"
Woofer voice coil	2"	3"	3"	2x1,5"	1"
HF Driver type	Horn	Horn	N/A	Horn	Horn
HF Driver Dimensions	MF4x4"+ HF4x1" piezo (x2)	MF4x6,5"+HF4x	N/A	1,5"	1"
Frequency Response	45Hz-20KHz	45Hz-20KHz	45Hz-200Hz	80Hz-20KHz	65Hz-20KHz
Maximum SPL (dB)	120dB	125dB	124dB	124dB	118dB
Impedance Type	4 ohms	4 ohms	4 ohms	4 ohms	8 ohms
Dispersion	V90°XH110°	V 90°X H 120°	N/A	V 15°X H 120°	V 90°X H 120°
Mount	Stand	Stand	Stand	Stand	Stand
Mount Type	Flange 36mm Up pole	Flange 36mm & Flying points	Flange 36mm Up pole	Flange 36mm & Flying points	Flange 36mm & Flying points
Mic/Line Inputs	2	2	2	1	N/A
Mic/Line inputs connector	XLR	XLR/Jack Combi	XLR/Jack Combi	XLR	N/A
AUX inputs	Mini jack + RCA	RCA Stereo	RCA Stereo	N/A	N/A
Amp inputs	N/A	N/A	N/A	N/A	1+1 Parallel
Amp inputs connector	Jack 6,3mm	Speakon 2-p	Speakon 2-p	N/A	Jack 6,3mm
Line outputs	2	2	2	1	2
Line outputs connector	XLR	XLR	XLR	XLR	JACK 6,3mm
DSP Processor	DSP Preset	DSP Preset	DSP Preset	DSP Preset	N/A
Bluetooth	Bluetooth	Bluetooth	Bluetooth	N/A	N/A
USB/Radio/Player	USB/MSD/SD	N/A	USB/MSD/SD	N/A	N/A

SEATTLE SERIES

SPECIFICATIONS

SOUND/PA SYSTEMS

MODEL	SEATTLE 500	SEATTLE 1000	SEATTLE 18S 2.1	SEATTLE 261LA	SEATTLE 6L
Load power (RMS)	HF100W+HF100W	HF300W+HF300W	HF300W+HF300W	N/A	200W
Load Power Peak	N/A	N/A	N/A	N/A	400W
Power Amp (RMS)	LF500W+HF100W+H-F100W	LF500W+HF300W+H-F300W	LF500W+HF300W+H-F300W	N/A	N/A
Power Amp max (Peak)	1000W	2000W	2000W	1000W	N/A
Enclosure Finish	ABS+MDF	ABS+MDF	MDF	ABS	ABS
Power Supply	AC 100V/240V	AC 100V/240V	AC 100V/240V	AC 100V/240V	N/A
Weight	Sat : 21.55kg ; Sub: 22.9kg	Sat : 33.93kg ; Sub: 38.57kg	38.57kg	15.25kg	8.5kg
Dimensions	N/A	515x610x620mm	515x610x620mm	460x320x200mm	360x220x220mm
Solutions	Sport & Wellness Leisure Rental Education	Sport & Wellness Leisure Rental Education	Sport & Wellness Leisure Rental Education	Sport & Wellness Leisure Rental Education	Sport & Wellness Leisure Rental Education

