


## NARROW LENS 10°

**BATTERY MODE:**  
**FULL MODE: RGBL=255**

**BEAM ANGLE: 10°**




Distance (m)	1m	2m	3m	4m	5m
Lux	30170lx	9600lx	4580lx	4580lx	1808lx
Diameter (m)	0.5m	0.8m	1.1m	1.4m	1.6m

## NARROW LENS 10°

**BATTERY MODE:**  
**MED MODE: RGBL=255**

**BEAM ANGLE: 10°**




Distance (m)	1m	2m	3m	4m	5m
Lux	21000lx	6340lx	3100lx	1730lx	1110lx
Diameter (m)	0.5m	0.8m	1.1m	1.4m	1.6m

## NARROW LENS 10°

**BATTERY MODE:**  
**ECO MODE: RGL=255**

**BEAM ANGLE: 10°**




Distance (m)	1m	2m	3m	4m	5m
Lux	14290lx	4670lx	2180lx	1220lx	770lx
Diameter (m)	0.5m	0.8m	1.1m	1.4m	1.6m

## NARROW LENS 10°

**BATTERY MODE:**  
**FULL MODE: R=255**

**BEAM ANGLE: 10°**




Distance (m)	1m	2m	3m	4m	5m
Lux	4600lx	1300lx	560lx	300lx	200lx
Diameter (m)	0.5m	0.8m	1.1m	1.4m	1.6m

## NARROW LENS 10°

**BATTERY MODE:**  
**FULL MODE: G=255**

**BEAM ANGLE: 10°**




Distance (m)	1m	2m	3m	4m	5m
Lux	9740lx	3300lx	1560lx	840lx	500lx
Diameter (m)	0.5m	0.8m	1.1m	1.4m	1.6m

## NARROW LENS 10°

**BATTERY MODE:**  
**FULL MODE: B=255**

**BEAM ANGLE: 10°**




Distance (m)	1m	2m	3m	4m	5m
Lux	596lx	192lx	95lx	56lx	38lx
Diameter (m)	0.5m	0.8m	1.1m	1.4m	1.6m

## NARROW LENS 10°

**BATTERY MODE:**  
**FULL MODE: L=255**

**BEAM ANGLE: 10°**




Distance (m)	1m	2m	3m	4m	5m
Lux	15450lx	4700lx	2230lx	1190lx	770lx
Diameter (m)	0.5m	0.8m	1.1m	1.4m	1.6m

## NARROW LENS 10°

**BATTERY MODE:**  
**MED MODE: R=255**

**BEAM ANGLE: 10°**




Distance (m)	1m	2m	3m	4m	5m
Lux	2900lx	989lx	459lx	270lx	179lx
Diameter (m)	0.5m	0.8m	1.1m	1.4m	1.6m



## NARROW LENS 10°

**BATTERY MODE:**  
**MED MODE: G=255**

**BEAM ANGLE: 10°**




Distance (m)	1m	2m	3m	4m	5m
Lux	6700lx	1960lx	960lx	530lx	330lx
Diameter (m)	0.5m	0.8m	1.1m	1.4m	1.6m

## NARROW LENS 10°

**BATTERY MODE:**  
**MED MODE: B=255**

**BEAM ANGLE: 10°**




Distance (m)	1m	2m	3m	4m	5m
Lux	440lx	140lx	63lx	36lx	21lx
Diameter (m)	0.5m	0.8m	1.1m	1.4m	1.6m

## NARROW LENS 10°

**BATTERY MODE:**  
**MED MODE: L=255**

**BEAM ANGLE: 10°**



Distance (m)	1m	2m	3m	4m	5m
Lux	10430lx	3350lx	1480lx	840lx	510lx
Diameter (m)	0.5m	0.8m	1.1m	1.4m	1.6m