


## NARROW LENS 10°

**BATTERY MODE:**  
**FULL MODE: RGBL=255**

**BEAM ANGLE: 10°**




Distance (m)	1m	2m	3m	4m	5m
Lux	79400lx	31350lx	16350lx	9720lx	6600lx
Diameter (m)	0.5m	0.7m	1m	1.3m	1.9m

## NARROW LENS 10°

**BATTERY MODE:**  
**MED MODE: RGBL=255**

**BEAM ANGLE: 10°**




Distance (m)	1m	2m	3m	4m	5m
Lux	58900lx	23660lx	12000lx	7140lx	4720lx
Diameter (m)	0.5m	0.7m	1m	1.3m	1.9m

## NARROW LENS 10°

**BATTERY MODE:**  
**ECO MODE: RGBL=255**

**BEAM ANGLE: 10°**




Distance (m)	1m	2m	3m	4m	5m
Lux	43200lx	18200lx	9200lx	5200lx	3400lx
Diameter (m)	0.5m	0.7m	1m	1.3m	1.9m

## NARROW LENS 10°

**BATTERY MODE:**  
**FULL MODE: R=255**

**BEAM ANGLE: 10°**




Distance (m)	1m	2m	3m	4m	5m
Lux	12400lx	4900lx	2500lx	1400lx	900lx
Diameter (m)	0.5m	0.7m	1m	1.3m	1.9m

## NARROW LENS 10°

**BATTERY MODE:**  
**FULL MODE: G=255**

**BEAM ANGLE: 10°**




Distance (m)	1m	2m	3m	4m	5m
Lux	32500lx	12800lx	6300lx	3700lx	2400lx
Diameter (m)	0.5m	0.7m	1m	1.3m	1.9m

## NARROW LENS 10°

**BATTERY MODE:**  
**FULL MODE: B=255**

**BEAM ANGLE: 10°**




Distance (m)	1m	2m	3m	4m	5m
Lux	1800lx	600lx	300lx	200lx	150lx
Diameter (m)	0.5m	0.7m	1m	1.3m	1.9m

## NARROW LENS 10°

**BATTERY MODE:**  
**FULL MODE: L=255**

**BEAM ANGLE: 10°**




Distance (m)	1m	2m	3m	4m	5m
Lux	39500lx	15350lx	7650lx	4440lx	2920lx
Diameter (m)	0.5m	0.7m	1m	1.3m	1.9m

## NARROW LENS 10°

**BATTERY MODE:**  
**MED MODE: R=255**

**BEAM ANGLE: 10°**




Distance (m)	1m	2m	3m	4m	5m
Lux	9300lx	3800lx	1600lx	1000lx	600lx
Diameter (m)	0.5m	0.7m	1m	1.3m	1.9m



## NARROW LENS 10°

**BATTERY MODE:**  
**MED MODE: G=255**

**BEAM ANGLE: 10°**




Distance (m)	1m	2m	3m	4m	5m
Lux	22000lx	9200lx	4600lx	2600lx	1700lx
Diameter (m)	0.5m	0.7m	1m	1.3m	1.9m

## NARROW LENS 10°

**BATTERY MODE:**  
**MED MODE: B=255**

**BEAM ANGLE: 10°**




Distance (m)	1m	2m	3m	4m	5m
Lux	1200lx	180lx	100lx	90lx	80lx
Diameter (m)	0.5m	0.7m	1m	1.3m	1.9m

## NARROW LENS 10°

**BATTERY MODE:**  
**MED MODE: L=255**

**BEAM ANGLE: 10°**



Distance (m)	1m	2m	3m	4m	5m
Lux	28560lx	11400lx	5600lx	3320lx	2200lx
Diameter (m)	0.5m	0.7m	1m	1.3m	1.9m