



13477R 800W R7s 230V 1CT

Product family description

Halogen High Voltage DE – great color for film and video
The high, constant light output and consistent color temperature of these double ended high voltage halogen lamps ensure attractive, accurately exposed pictures for both film and video. In addition, the wide choice of dimensions and power ratings opens new levels of creative freedom for the luminaire designer.

Product Features

- Studio/film: Color temperature of 3200K
- Video: High constant light output and color temperature

Product Benefits

- Studio/film: Good color rendering
- Video: Makes attractive, accurately exposed pictures possible

Application

- Studio/film: Studio, film, theater and disco lighting
- Video: Portable film and video lights



Product data	
Order code	492166 25
Full product name	13477R 800W R7s 230V 1CT
Packing type	1 Carton
Pieces per pack	1
Net weight per piece	10.500 GR
Successor order code	
Philips Code	13477R
ANSI Code	EME
LIF Code	P2/11
Cap-Base	R7s
Bulb Finish	Clear
Filament Shape	Single Coil
Operating Position	p15
Main Application	Entertainment
Packing Type	1CT [1 Carton]

PHILIPS

Product data	
Packing Configuration	10
Life to 50% failures	150 hr
Lamp Wattage	800W
Voltage	230V
Rapid Acting HBC Fuse	6.3 V
Luminous Flux Lamp	23600 Lm



R7s


XHSFDE R7s**Cap-Base R7s****Operating Position p15**



Non-household



Theater



R7s, RX7s

XHSFDE R7s/RX7s

	A	A	A	A	A	A
Full product name	Min	Min	Min	Nom	Nom	Nom
	112.6	112.6	112.6	114.2	114.2	114.2

	A	A	A	C	C	C
Full product name	Max	Max	Max	Max	Max	Max
	115.8	115.8	115.8	117.5	117.5	117.5

	D	D	D	W	W	W
Full product name	Max	Max	Max	Nom	Nom	Nom
	11	11	11	60	60	60

Full product name



©2009 Koninklijke Philips Electronics N.V.

All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights.

Document order number : 0000 000 00000