

PATENTED

MADE IN GERMANY




# DEFENDER<sup>®</sup>

## CABLE PROTECTION SYSTEMS

THE INDUSTRY & EVENT STANDARD








**DEFENDER<sup>®</sup>**  
**CABLE PROTECTION SYSTEMS**  
THE INDUSTRY & EVENT STANDARD









## **DEFENDER® CABLE PROTECTION SYSTEMS** - THE INDUSTRY & EVENT STANDARD

Originally developed to guard electrical cables and prevent tripping hazards at rock concerts Defender® cable protectors have become the standard in a wide variety of industrial, commercial and public applications.

Designed and made in Germany from ultra-rugged, recyclable TPU (Thermoplastic Polyurethane) the Defender® range comprises various modular protection systems for cables and hoses with diameters up to 113 mm [4.5"]. Stringent raw material and production controls ensure that Defender® protectors meet exacting specifications and the highest quality standards. Defender® cable ramps are DEKRA certified in conformity with DIN 31000 and EN 61537, B2 fire rated according to DIN 4102 (B1 also available) and compliant with the Low Voltage Directive.

For detailed information on Defender® cable protection systems in English, French, German, and Spanish visit [www.defender-protects.com](http://www.defender-protects.com), for support contact the Defender team of cable guard experts.



## **DEFENDER® KABELBRÜCKEN** - DER BRANCHEN- UND VERANSTALTUNGSSTANDARD

Ursprünglich als Schutz von Stromkabeln und zur Vermeidung von Stolperfällen bei Rockkonzerten gedacht, haben sich die Defender® Kabelschutz-Systeme mittlerweile als Standard bei zahlreichen Anwendungen in industriellen, kommerziellen und öffentlichen Bereichen durchgesetzt.

Die in Deutschland entworfenen und hergestellten Defender® Produkte werden aus besonders robustem, wiederverwertbarem TPU (thermoplastisches Polyurethan) gefertigt und umfassen verschiedene modular einsetzbare Schutzsysteme für Kabel und Schläuche bis zu einem Durchmesser von 113 mm. Strengste Rohstoff- und Produktionskontrollen gewährleisten, dass die Defender® Kabelbrücken die anspruchsvollen Spezifikationen und höchsten Qualitätsstandards erfüllen. Die Defender® Kabelschutzsysteme sind nach DIN 31000 und EN 61537 mit dem DEKRA Siegel ausgezeichnet. Sie erfüllen die Anforderungen der Brandschutzklasse B2 nach DIN 4102 (auch in B1 lieferbar) und sind mit der Niederspannungsrichtlinie konform.

Weitere Informationen über die Defender® Kabelbrücken sind unter [www.defender-protects.com](http://www.defender-protects.com) in den Sprachen Englisch, Französisch, Deutsch und Spanisch verfügbar. Bei Fragen stehen Ihnen die Kabelschutzexperten von Defender gerne zur Verfügung.





## **SISTEMAS DE PROTECCIÓN DE CABLES DEFENDER® - EL ESTÁNDAR PARA LA INDUSTRIA Y EVENTOS**

Desarrollados en principio para proteger los cables eléctricos y evitar tropiezos en conciertos de rock, los protectores de cables Defender® se han convertido en artículos habituales en una amplia variedad de usos industriales, comerciales y públicos.

Diseñada y fabricada en Alemania con TPU (poliuretano termoplástico) muy resistente y reciclable, la gama Defender® comprende diversos sistemas de protección modular para cables y tubos flexibles con diámetros de hasta 113 mm. Los estrictos controles sobre materias primas y producción garantizan que los protectores Defender® cumplen las más rigurosas especificaciones y las más altas normas de calidad. Las rampas para cables Defender® cuentan con el certificado DEKRA conforme a la DIN 31000 y EN 61537, presentan la clase de inflamabilidad B2 según la DIN 4102 (también disponible en B1) y cumplen la directiva sobre bajo voltaje.

Para ampliar la información sobre los sistemas de protección de cables Defender® en inglés, francés, alemán y español, visite [www.defender-protects.com](http://www.defender-protects.com); y para obtener asistencia, contacte con el equipo de Defender de expertos en protección de cables.



## **SYSTÈMES DE PROTECTION DE CÂBLES DEFENDER® - LA RÉFÉRENCE DANS L'INDUSTRIE ET L'ÉVÈNEMENTIEL**

Conçus à l'origine pour protéger les câbles électriques et prévenir les risques de trébuchement lors des concerts de rock, les passages de câbles Defender® sont devenus la référence dans un ensemble très large d'applications industrielles, commerciales et publiques.

La gamme Defender®, conçue et fabriquée en Allemagne à partir de TPU (polyuréthane thermoplastique) recyclable et ultra-robuste, comporte différents systèmes de protection modulaires pour câbles et flexibles/tuyaux ayant jusqu'à 113 mm de diamètre. Grâce à des contrôles rigoureux des matières premières et de la production, les passages de câbles Defender® répondent aux spécifications les plus précises et aux normes de qualité les plus élevées. Les passages de câbles Defender® sont certifiés DEKRA conformément aux normes DIN 31000 et EN 61537, classés B2 conformément à la norme de réaction au feu DIN 4102 (B1 également disponible) et sont conformes à la directive basse tension.

Pour obtenir des informations détaillées sur les systèmes de protection de câbles Defender® en anglais, français, allemand et espagnol, veuillez-vous rendre sur le site [www.defender-protects.com](http://www.defender-protects.com), et pour obtenir de l'assistance, veuillez contacter l'équipe Defender d'experts en passages de câbles.





# HEAVY DUTY ARGUMENTS




## ✓ DEKRA CERTIFIED

The DEFENDER cable protection range has been awarded the DEKRA certificate. In accordance with testing standards EN 61537:2001 and DIN 31000:1979 all of the Defender cable crossovers adhere to the highest safety and quality requirements. Thanks to the manufacturing process being completed in Germany, Adam Hall GmbH, exclusive distributor of DEFENDER products, is able to ensure that as part of the certification process, DEKRA can complete the required material and production checks on a regular basis.



## ✓ HIGH TECH RAW MATERIAL



All DEFENDER cable crossovers are made of extremely sturdy, unbreakable TPU (thermoplastic polyurethane), produced from recycled and new plastic materials. They feature a B2 fire resistance rating (also available with a B1 rating - difficult to ignite - in compliance with DIN4102) and are resistant to oil, acids and petrol. The operating temperature range is approximately -30°C to +60°C [-22° F to 140° F]. The Shore A hardness range is 88 ± 4.



## ✓ PATENTED SELF CLEANING HINGE

Our cable protectors are equipped with patented self cleaning hinge. The dirt gathering around the hinges is automatically pushed out when opening and closing the lid of the DEFENDER cable protector. All DEFENDER products are made of extremely sturdy, unbreakable TPU (thermoplastic polyurethane). If needed, the crossovers can be easily cleaned using a steam jet cleaner.





### ✓ **EASY LOCK SYSTEM**

The DEFENDER cable protectors feature a very easy and efficient opening and locking system, allowing you to open and close the lid without tooling or special efforts. This exclusive feature also guarantees that the lid remains closed at all times, even when cars or trucks cross it over.



### ✓ **EASY HANDLING**

The heaviest DEFENDER cable protection systems are equipped with transport handles (DEFENDER XXL, DEFENDER III and DEFENDER Midi). The DEFENDER Box provides safe and practical storage but also a logistically efficient solution for the transport of many protectors at once (euro-pallet dimensions).



### ✓ **MODULAR SYSTEM**

The DEFENDER Cable protection systems also offer high quality accessories to adapt your configuration to each new location, such as end ramps, 90° and 45° bends. Each cable protector has connectors and corresponding sockets that enable you to connect cable protectors in the same series endlessly with one another with maximum stability.



### ✓ **LABEL YOUR CABLE PROTECTORS**

Self branding of your cable protectors has 3 main advantages :

Advertisement for your brand / Corporate Identity conformity / Avoid mixing up your equipment with another company on large events

Self branding of the DEFENDER cable protectors with the Logo of your company can be purchased for orders ex 30 pieces. You will find the logo format requirements on our website. Feel free to contact our sales team for more information at [sales@adamhall.com](mailto:sales@adamhall.com)



**NEW!**

# DEFENDER<sup>®</sup> LUX

SEMI-TRANSPARENT LID SERIES




The ultimate in cable protection and trip hazard prevention, our innovative Defender LUX Series feature highly translucent yellow-tinted lids for running LED rope lights along your cables and cords. Developed in conjunction with major venues and event organizers Defender LUX Cable Protectors are the state-of-the-art indoor and outdoor solution to ensure maximum visibility and security in the dark. Defender LED rope lights are also available as dedicated accessories. See our price list for the Defender LUX and rope light range or talk to your Defender representative.

**Description:**

Defender Ultra L Lux  
Defender Ultra L II Lux  
Defender XXL Lux  
Defender III Lux  
Defender Midi Lux  
Defender Mini Lux  
Defender Nano Lux

**Art. No.:**

85600LUX  
85601LUX  
85500LUX  
85002L UX  
85300LUX  
85200LUX  
85150LUX



**For more information see pricelist.**





**NEW!**

# DEFENDER<sup>®</sup> CUSTOM SERVICE

DESIGN YOUR CABLE PROTECTION SYSTEM!

## SPECIAL CONFIGURATIONS



### ROBOTIC PLASTIC WELDING

For superior flexibility in designing your cable protection system and perfect integration into your environment Defender provides its own in-house robotic plastic welding service.

Need an intersection or T-junction, a special angle or radius curve?

We produce one-offs and small quantities of Defender elements made to your requirements.

What's more, at Defender engineering and tooling we develop and produce special purpose injection-molded protection solutions like those below.

Talk to your Defender representative for more information and minimum orders.



## CUSTOM SOLUTION DEVELOPMENT



### DEFENDER SUBTERRA

Developed with and produced for Halliburton Oilfield Services, the Subterra is a protection system for underground hydraulic lines. It combines thermoplastic polyurethane and reinforced polyamide materials to withstand earth pressure and truly demonstrates the scope of Defender's purpose design and custom production facilities.




### DEFENDER RACE RESULT

Developed with leading race management and timing company race result, these injection molded thermoplastic polyurethane protectors are another Defender Custom product that has been purpose-designed for the company's sports event timing system antennas.




# DEFENDER® RANGE OVERVIEW

IN PROPORTIONAL SCALE




**DEFENDER® ULTRA L**  
2 ULTRA LARGE CHANNELS - THE HEAVY DUTY GIANT

A	33 x 50 mm / 1.3" x 2"
B	113 x 120 mm / 4.5" x 4.7"
C	783 mm / 30.8"




**DEFENDER® ULTRA L 2**  
2 ULTRA LARGE CHANNELS (2+4) - THE HEAVY DUTY GIANT

A	25 mm (2x) / 1"
B	108 x 110 mm / 4.2" x 4.3"
C	766 mm / 30.2"



**DEFENDER® XXL**  
5 XXL CHANNELS - THE HEAVY DUTY ALLROUNDER


A	61 x 59 mm / 2.4" x 2.3"
B	62 x 65 mm / 2.4" x 2.6"
C	60 x 63 mm / 2.4" x 2.5"
D	696 mm / 27.4"



**DEFENDER® III**  
3 BIG CHANNELS - MOST POPULAR

A	52x49 mm / 2.1" x 2"
B	45x50 mm / 1.8" x 2"
C	600 mm / 23.6"






### DEFENDER® MIDI

5 MEDIUM CHANNELS - THE SOLUTION FOR NEARLY ANYTHING


A	34x36 mm / 1.3" x 1.4"
B	542 mm / 21.3"



### DEFENDER® MIDI 4C

4 MEDIUM CHANNELS - 1 BIG CHANNEL FOR FIRE HOSE


A	34x36 mm / 1.3" x 1.4"
B	80 x 36 mm / 3.2" x 1.4"
C	542 mm / 21.3"



### DEFENDER® MINI

3 SMALL CHANNELS - THE LIGHTWEIGHT CHAMPION


A	35 x 30 mm / 1.4" x 1.2"
B	35 x 35 mm / 1.4" x 1.4"
C	290 mm / 11.4"



### DEFENDER® NANO

6 SLIM CHANNELS - DISCRETE OUTDOOR / INDOOR PROTECTION


A	17 x 18 mm / 0.7" x 0.7"
B	17 x 19 mm / 0.7" x 0.7"
C	542 mm / 21.3"



### DEFENDER® COMPACT

7 SMALL CHANNELS - THE DROP OVER SOLUTION

A	28 x 23 mm / 1.1" x 0.9"
B	28 x 27 mm / 1.1" x 1.1"
C	28 x 29 mm / 1.1" x 1.1"
D	28 x 30 mm / 1.1" x 1.1"
E	430 mm / 16.9"



### DEFENDER® OFFICE

4 MINI CHANNELS - INDOOR & DESIGN SOLUTION

A	10 x 10 mm / 0.4" x 0.4"
B	12 x 12 mm / 0.5" x 0.5"
C	120 mm / 4.7"



## RANGE OF APPLICATION

Trade fairs / walkways / marketplaces / Christmas markets / workshops / warehouses / shopping centres / department stores / construction sites, streets, etc.

However, please ensure compliance with road traffic regulations (higher than 75 mm / 3")


# DEFENDER® ULTRA L

## 2 ULTRA LARGE CHANNELS – THE HEAVY DUTY GIANT


The Ultra L cable protection system is designed for extra heavy duty environments and the largest cable and hose diameters. Featuring a pair of 120 x 113 mm / 4.7" x 4.5" channels flanked by two 33 x 50 mm / 1.3" x 2" ducts, integrated dog bone connectors for easy linking and a 5 t / 11023 lbs per 20 x 20 cm / 7.9" x 7.9" load capacity Defender® Ultra L protectors are eminently suitable for heavy wheeled traffic, construction sites, warehouses, carnivals, fairs, music events and other demanding applications.

### SPECIFICATIONS:

Art. No.:	85600
Product:	4-channel cable protector
Channel W x H:	33 x 50 mm / 1.3" x 2" (channels 1 and 4), 120 x 113 mm / 4.7" x 4.5" (channels 2 and 3)
Material:	TPU (Thermoplastic Polyurethane)
Shore A hardness:	88 ± 4
Load capacity:	approx. 5 t / 11023 lbs / 20 x 20 cm / 7.9" x 7.9" (typical tyre footprint area)
Fire rating:	B2 (B1 also available)
Resistant to:	most acids, oils, gasoline
Operating temperature:	-30° to +60° C / -22° F to 140° F
Length:	700 mm / 27.6"
Width:	783 mm / 30.8"
Height:	139 mm / 5.5"
Weight:	30.5 kg / 67.2 lbs









**ALSO AVAILABLE  
AS LUX VERSION!**

Art. No. 85600LUX  
More Info page 8.





## RANGE OF APPLICATION

Trade fairs / walkways / marketplaces / Christmas markets / workshops / warehouses / shopping centres / department stores / construction sites, streets, etc.

However, please ensure compliance with road traffic regulations (higher than 75 mm / 3")


# DEFENDER<sup>®</sup> ULTRA L 2

2 ULTRA LARGE CHANNELS (2+4) – THE HEAVY DUTY GIANT

Ultra L 2 - heavy duty cable crossovers are designed for the most demanding applications and feature two extra large cable channels of 108 x 110 mm / 4.2" x 4.3" plus four channels with 25 mm / 1" diameter and integrated connector plugs for easy coupling of several elements. The load bearing capacity is approx. 5 tons / 11023 lbs on a 20 x 20 cm / 7.9" x 7.9" surface area. Therefore, Ultra L 2 cable crossovers are the ideal solution for heavy traffic, construction sites, warehouses, trade shows, carnivals and music events, and other applications involving particularly heavy use. They are equipped with 4 fixation holes (ø 15 mm / 0.6") for street installation.

### SPECIFICATIONS:

Art. No.:	85601
Product:	2+4-channel cable protector
Channel W x H:	Diameter channel 1+2: 25 mm / 1" / Diameter channel 5+6: 25 mm / 1" Channel 3: 108 x 110 mm / 4.2" x 4.3" / Channel 4: 108 x 110 mm / 4.2" x 4.3"
Material:	TPU (Thermoplastic Polyurethane)
Shore A hardness:	88 ± 4
Load capacity:	approx. 5 t / 11023 lbs / 20 x 20 cm / 7.9" x 7.9" (typical tyre footprint area)
Fire rating:	B2 (B1 also available)
Resistant to:	most acids, oils, gasoline
Operating temperature:	-30° to +60° C / -22° F to 140° F
Length:	700 mm / 27.6"
Width:	766 mm / 30.2"
Height:	120 mm / 4.7"
Weight:	28.3 kg / 62.4 lbs









**ALSO AVAILABLE  
AS LUX VERSION!**

Art. No. 85601LUX  
More Info page 8.





## RANGE OF APPLICATION

Trade fairs / walkways / marketplaces / Christmas markets / workshops / warehouses / shopping centres / department stores / construction sites, streets, etc.

However, please ensure compliance with road traffic regulations (higher than 75 mm / 3")

# DEFENDER® XXL

## 5 XXLCHANNELS – THE HEAVY DUTY ALLROUNDER



Developed for extreme work environments the Defender® XXL cable protection system provides 5 channels for large cable and hose diameters including 3 channels suitable for type C fire hoses (only hoses up to Ø62 mm / 2.4" - no coupling) as well as high voltage cables. Integrated dog bone connectors facilitate linking to form a rigid continuous protector, end ramps are available for secure cable entry and exit. With a 5 t / 11023 lbs per 20 x 20 cm / 7.9" x 7.9" load capacity Defender® XXL protectors are ideal for heavy wheeled traffic, construction sites, warehouses, carnivals, fairs and music events. Built-in handles for easy portability.

### SPECIFICATIONS:


Art. No.:	85500
Product:	5-channel cable protector
Channel W x H:	61 x 59 mm / 2.4" x 2.3" (channels 1 and 5), 62 x 65 mm / 2.4" x 2.6" (channels 2 and 4), 60 x 63 mm / 2.4" x 2.5" (channel 3)
Material:	TPU (Thermoplastic Polyurethane)
Shore A hardness:	88 ± 4
Load capacity:	approx. 5 t / 11023 lbs / 20 x 20 cm / 7.9" x 7.9" (typical tyre footprint area)
Fire rating:	B2 (B1 also available)
Resistant to:	most acids, oils, gasoline
Operating temperature:	-30° to +60° C / -22° F to 140° F
Length:	700 mm / 27.6"
Width:	696 mm / 27.4"
Height:	87 mm / 3.4"
Weight:	21.4 kg / 47.2 lbs

### DEFENDER® XXL End Ramp, connectors included

Art. No.: 85510











**ALSO AVAILABLE  
AS LUX VERSION!**

Art. No. 85500LUX  
More Info page 8.

Art. No. **85510**



A	59 mm / 2.3"	G	700 mm / 27.6"
B	61 mm / 2.4"	H	80 mm / 3"
C	65 mm / 2.6"	I	780 mm / 30.7"
D	62 mm / 2.4"	J	87 mm / 3.4"
E	63 mm / 2.5"	K	696 mm / 27.4"
F	60 mm / 2.4"		



## RANGE OF APPLICATION

Trade fairs / walkways / marketplaces / Christmas markets / workshops / warehouses / shopping centres / department stores / construction sites, streets, etc.

# DEFENDER® III

3 BIG CHANNELS – MOST POPULAR

Featuring a 73 mm / 2.9" profile, 45° curve and end ramps with detachable dovetail connectors the Defender® III cable protection system provides versatile cable routing and safe crossing for vehicles and pedestrians. With 3 medium large channels, built-in handles for easy portability and a 5 t / 11023 lbs per 20 x 20 cm / 7.9" x 7.9" load capacity the 73 mm / 2.9" profile Defender® III cable protectors are the perfect all-round choice for a wide variety of applications including heavy wheeled traffic, construction sites, warehouses, carnivals, fairs, trade shows, exhibitions, shopping malls and music events.

### SPECIFICATIONS:

Art. No.:	85002
Product:	3-channel cable protector
Channel W x H:	52 x 49 mm / 2.1" x 2" (channels 1 and 3), 45 x 50 mm / 1.8" x 2" (channel 2)
Material:	TPU (Thermoplastic Polyurethane)
Shore A hardness:	88 ± 4
Load capacity:	5 t / 11023 lbs / 20 x 20 cm / 7.9" x 7.9" (typical tyre footprint area)
Fire rating:	B2 (B1 also available)
Resistant to:	most acids, oils, gasoline
Operating temperature:	-30° to +60° C / -22° F to 140° F
Length:	1000 mm / 39.4"
Width:	600 mm / 23.6"
Height:	73 mm / 2.9"
Weight:	22 kg / 48.5 lbs

### DEFENDER® III 45° Curve with detachable lid and 2 dovetail connectors


Art. No.: **85009**

### DEFENDER® III End Ramp



Art. No.: **85008**

### DEFENDER® III Dovetail Connector

Art. No.: **85004**








Art. No. **85009**



Art. No. **85004**



Art. No. **85008**



A	49 mm / 2"	F	56 mm / 2.2"
B	52 mm / 2.1"	G	600 mm / 23.6"
C	50 mm / 2"	H	73 mm / 2.9"
D	45 mm / 1.8"	I	1000 mm / 39.4"
E	49 mm / 2"		



## RANGE OF APPLICATION

Trade fairs / walkways / marketplaces / Christmas markets / workshops / warehouses / shopping centres / department stores / construction sites, streets, etc.

# DEFENDER<sup>®</sup> MIDI

5 MEDIUM CHANNELS – THE SOLUTION FOR NEARLY ANYTHING

The Defender<sup>®</sup> MIDI cable protection system has been designed for maximum routing versatility and secure crossing. Featuring a low profile, 5 t / 11023 lbs per 20 x 20 cm / 7.9" x 7.9" load capacity, integrated connectors and handles the straight ramp, 45° curve and end ramps are easily linked to form a continuous cable guard while five 34 x 36 mm / 1.3" x 1.4" channels allow for individual sound, lighting and power line arrangement. Defender<sup>®</sup> MIDI cable protectors are ideal for a multitude of usages such as heavy wheeled traffic, construction sites, warehouses, carnivals, fairs, trade shows, exhibitions, shopping malls, broadcasting and music events. Available system option: wheelchair ramp (see page 25).

### SPECIFICATIONS:

Art. No.:	85300
Product:	5-channel cable protector
Channel W x H:	34 x 36 mm / 1.3" x 1.4" (channels 1 to 5)
Material:	TPU (Thermoplastic Polyurethane)
Shore A hardness:	88 ± 4
Load capacity:	approx. 5 t / 11023 lbs / 20 x 20 cm / 7.9" x 7.9" (typical tyre footprint area)
Fire rating:	B2 (B1 also available)
Resistant to:	most acids, oils, gasoline
Operating temperature:	-30° to +60° C / -22° F to 140° F
Length:	890 mm / 35"
Width:	542 mm / 21"
Height:	52 mm / 2"
Weight:	11.5 kg / 25.4 lbs

### DEFENDER<sup>®</sup> MIDI 45° curve for Defender Midi

Connectors detachable, connectors can be mounted on both sides.



Art. No.: **85310**

### DEFENDER<sup>®</sup> MIDI End Ramp, connectors included


Art. No.: **85308**

### DEFENDER<sup>®</sup> Wheelchair Ramp

Art. No.: **85305SET** (for detailed information see page 25)







**ALSO AVAILABLE  
AS LUX VERSION!**

Art. No. 85300LUX  
More Info page 8.

**WHEEL  
CHAIR RAMP  
AVAILABLE  
ON PAGE 32/33!**


Art. No. 85305SET



Art. No. **85310**



Art. No. **85308**



A	52 mm / 2"
B	36 mm / 1.4"
C	34 mm / 1.3"
D	542 mm / 21.3"
E	890 mm / 35"

F	52 mm / 2"
G	942 mm / 37"



## RANGE OF APPLICATION

Trade fairs / walkways / marketplaces / Christmas markets / workshops / warehouses / shopping centres / department stores / construction sites, streets, etc.

# DEFENDER® MIDI 4C

4 MEDIUM CHANNELS – 1 BIG CHANNEL FOR FIRE HOSE


With one wide 80 x 36 mm / 3.2" x 1.4" channel and three 34 x 36 mm / 1.3" x 1.4" ducts the Defender® MIDI 4C cable protection system is the perfect choice when a layflat hose must be run next to separate sound, lighting and power lines. Featuring integrated connectors, the low profile and 5 t / 11023 lbs per 20 x 20 cm / 7.9" x 7.9" load capacity of the Defender® MIDI system MIDI 4C protectors are suitable for heavy wheeled traffic, construction sites, warehouses, carnivals, fairs, trade shows, exhibitions, shopping malls and music events.

### SPECIFICATIONS:


Art. No.:	85301
Product:	4-channel cable protector
Channel W x H:	34 x 36 mm / 1.3" x 1.4" (channels 1 to 3), 80 x 36 mm / 3.2" x 1.4" (channel 4)
Material:	TPU (Thermoplastic Polyurethane)
Shore A hardness:	88 ± 4
Load capacity:	Approx 5 t / 11023 lbs per typical tyre imprint (20 x 20 cm / 7.9" x 7.9")
Fire rating:	B2 (B1 also available)
Resistant to:	most acids, oils, gasoline
Operating temperature:	-30° to +60° C / -22° F to 140° F
Length:	890 mm / 35"
Width:	542 mm / 21.3"
Height:	52 mm / 2"
Weight:	11.5 kg / 25.4 lbs

### DEFENDER® MIDI 4C End Ramp, connectors included

Art. No.: 85308








**ALSO AVAILABLE  
AS LUX VERSION!**

Art. No. 85301LUX  
More Info page 8.



Art. No. **85308**



A	52 mm / 2"	F	890 mm / 35"
B	36 mm / 1.4"	G	52 mm / 2"
C	34 mm / 1.3"	H	942 mm / 37.1"
D	80 mm / 3.2"		
E	542 mm / 21.3"		



## RANGE OF APPLICATION

Trade fairs / walkways / marketplaces / Christmas markets / workshops / warehouses / shopping centres / department stores / construction sites, streets, etc.

# DEFENDER<sup>®</sup> MINI

3 SMALL CHANNELS – THE LIGHTWEIGHT CHAMPION

Available with a choice of black or yellow lids the Defender<sup>®</sup> MINI cable protection system is ideal for both indoor and outdoor use. The compact, low profile 3-channel ramp with integrated dog bone connectors features a slip-resistant underside for superior grip on a wide variety of surfaces. Male and female end ramps are available to provide secure and tidy cable entry and exit. With a 2 t / 4409 lbs per 20 x 20 cm / 7.9" x 7.9" load capacity Defender<sup>®</sup> MINI protectors support lightweight vehicles, carts and pedestrian traffic. Applications include carnivals, fairs, trade shows, exhibitions, shopping malls, warehouses, stages, studios and broadcasting. Not suitable for road traffic.

### SPECIFICATIONS:



Art. No.:	85200
Product:	3-channel cable protector
Channel W x H:	35 x 30 mm / 1.4" x 1.2" (channels 1 and 3), 35 x 35 mm / 1.4" x 1.4" (channel 2)
Material:	TPU (Thermoplastic Polyurethane)
Shore A hardness:	88 ± 4
Load capacity:	approx. 2 t / 4409 lbs / 20 x 20 cm / 7.9" x 7.9" (typical tyre footprint area)
Fire rating:	B2 (B1 also available)
Resistant to:	most acids, oils, gasoline
Operating temperature:	-30° to +60° C / -22° F to 140° F
Length:	1000 mm / 39.4"
Width:	290 mm / 11.4"
Height:	48 mm / 1.9"
Weight:	5 kg / 11 lbs

### DEFENDER<sup>®</sup> MINI End Ramp female


Art. No.: 85208F

### DEFENDER<sup>®</sup> MINI End Ramp male

Art. No.: 85208M







**ALSO AVAILABLE  
WITH BLACK LID!**  
Art. No. 85200BLK  
**AS LUX VERSION!**  
Art. No. 85200LUX  
More Info page 8.



Art. No. **85208F**


Art. No. **85208M**



Art. No. **85210L**



Art. No. **85210R**



A	35 mm / 1.4"
B	30 mm / 1.2"
C	48 mm / 1.9"
D	290 mm / 11.4"
E	1000 mm / 39.4"



## RANGE OF APPLICATION

Trade fairs / walkways / marketplaces / Christmas markets / workshops / warehouses / shopping centres / department stores / construction sites, streets, etc.

# DEFENDER® NANO

6 SLIM CHANNELS – DISCRETE OUTDOOR / INDOOR PROTECTION

Providing convenient wheelchair access the Defender® NANO cable protection system is the ultra low profile solution for a wide range of indoor and outdoor applications. Available with black or yellow lid Defender® NANO protectors feature 6 channels for clean and tidy cable arrangement, T-shaped connectors and a 2 t / 4409 lbs per 20 x 20 cm / 7.9" x 7.9" load capacity to support lightweight vehicles, carts and pedestrian traffic but also forklifts and pallet trucks thanks to their low height design. Male and female end ramps are available to provide secure cable entry and exit.

The Defender® NANO protection system is ideal for carnivals, fairs, trade shows, exhibitions, shopping malls, warehouses, stages, studios and broadcasting. Not suitable for road traffic.

### SPECIFICATIONS:

Art. No.:	85150
Product:	6-channel cable protector
Channel W x H:	17 x 18 mm / 0.7" x 0.7" (channels 1 to 6)
Material:	TPU (Thermoplastic Polyurethane)
Shore A hardness:	88 ± 4
Load capacity:	approx. 2 t / 4409 lbs / 20 x 20 cm / 7.9" x 7.9" (typical tyre footprint area)
Fire rating:	B2 (B1 also available)
Resistant to:	most acids, oils, gasoline
Operating temperature:	-30° to +60° C / -22° F to 140° F
Length:	1000 mm / 39"
Width:	280 mm / 11"
Height:	32 mm / 1.3"
Weight:	4.37 kg / 9.6 lbs


### DEFENDER® NANO End Ramp female

Art. No.: 85158F


### DEFENDER® NANO End Ramp male

Art. No.: 85158M


With black lid  
Art. No. 85150BLK









**ALSO AVAILABLE  
WITH BLACK LID!**  
Art. No. 85150BLK  
**AS LUX VERSION!**  
Art. No. 85150LUX  
More Info page 8.



Art. No. **85158F**



Art. No. **85158M**



A	17 mm / 0.7"
B	18 mm / 0.7"
C	19 mm / 0.7"
D	32 mm / 1.3"
E	280 mm / 11"
F	1000 mm / 39.4"



## RANGE OF APPLICATION

Mainly in halls, at trade fairs, etc.

# DEFENDER<sup>®</sup> COMPACT

7 SMALL CHANNELS – THE DROP OVER SOLUTION




The Defender<sup>®</sup> COMPACT drop-over cable protector is a durable light-duty solution to guard cable lines and prevent tripping hazards. Featuring a ribbed surface for excellent traction and integrated dovetail connectors Defender<sup>®</sup> COMPACT drop-over cable ramps are suitable for pedestrian traffic in offices, shopping malls, conference facilities, trade shows and markets as well as stage and studio applications.

### DEFENDER<sup>®</sup> COMPACT WITH BASE (85100 + 85103)


Attached to the optional 5-channel base the Defender<sup>®</sup> COMPACT drop-over cable protector transforms into a heavy-duty guard with high load capacity to support trucks, forklifts and other vehicles. The ribbed surface provides excellent traction while integrated connectors on the base and drop-over facilitate lining up to form a rigid continuous protection system. The range of applications includes construction sites, carnivals, fairs, trade shows, exhibitions, warehouses, shopping malls and music events.

### SPECIFICATIONS:

Art. No.:	85100	85103 (base), 85100 (drop-over)
Product:	7-channel cable protector	5-channel cable protector
Channel W x H:	28 x 23 mm / 1.1" x 0.9" (channels 1 and 7), 28 x 27 mm / 1.1" x 1.1" (channels 2 and 6), 28 x 29 mm / 1.1" x 1.1" (channels 3 and 5), 28 x 30 mm / 1.1" x 1.1" (channel 4)	22 x 21 mm / 0.9" x 0.9" (channels 1 to 5)
Material:	TPU (Thermoplastic Polyurethane)	TPU (Thermoplastic Polyurethane)
Shore A hardness:	88 ± 4	88 ± 4
Load capacity:	see description above	see description above
Fire rating:	B2 (B1 also available)	B2 (B1 also available)
Resistant to:	most acids, oils, gasoline	most acids, oils, gasoline
Operating temperature:	-30° to +60° C / -22° F to 140° F	-30° to +60° C / -22° F to 140° F
Length:	800 mm / 31.5"	800 mm / 31.5"
Width:	430 mm / 16.9"	430 mm / 16.9"
Height:	40 mm / 1.6"	40 mm / 1.6"
Weight:	3.5 kg / 7.7 lbs	7 kg / 15.4 lbs (base with drop-over)








Art. No. **85100** (bottom view)



Art. No. **85103**



A	800 mm / 31.5"	G	29 mm / 1.1"
B	25 mm / 1"	H	30 mm / 1.1"
C	830 mm / 32.7"	I	28 mm / 1.1"
D	37 mm / 1.5"	J	435 mm / 17"
E	23 mm / 0.9"	K	241 mm / 9.5"
F	27 mm / 1.1"	L	21 mm / 0.9"
		M	22 mm / 0.9"



## RANGE OF APPLICATION

Mainly in offices, halls, at trade fairs, etc.

# DEFENDER® OFFICE

4 MINI CHANNELS – INDOOR & DESIGN SOLUTION

Available with a choice of black, grey and yellow colors the Defender® OFFICE cable protection system is the elegant solution for secure pedestrian traffic in conference facilities, exhibitions, public buildings, retail outlets, shopping malls, trade shows and offices. Featuring straight, 90° and end ramps with cutting guides for length adjustment, zigzag connection and bolt holes for ground fixing the Defender® OFFICE system provides versatile cable routing while preventing tripping hazards.

### SPECIFICATIONS:




Art. No.:	85160 (Black) / 85160GREY (Grey) / 85160YEL (Yellow)
Product:	4-channel cable protector
Channel W x H:	10 x 10 mm / 0.4" x 0.4" (channels 1 and 4), 12 x 12 mm / 0.5" x 0.5" (channels 2 and 3)
Material:	TPU (Thermoplastic Polyurethane)
Shore A hardness:	92 ± 4
Load capacity:	2 t / 4409 lbs / 20 x 20 cm / 7.9" x 7.9" (typical tyre footprint area)
Fire rating:	B2
Resistant to:	acids, oils, gasoline
Operating temperature:	-30° to +60° C / -22° F to 140° F
Length:	870 mm / 34.3"
Width:	120 mm / 4.7"
Height:	20 mm / 0.8"
Weight:	1.24 kg / 2.7 lbs

### DEFENDER® OFFICE 90° Curve

Art. No.: **85161** (black), **85161GREY**, **85161YEL**


### DEFENDER® OFFICE End Ramp

Art. No.: **85168** (black), **85168GREY**, **85168YEL**








**ALSO  
AVAILABLE  
IN BLACK  
& YELLOW!**



Art. No. **85161GREY**  
(90° curve)



Art. No. **85168GREY**  
(End ramp)





# DEFENDER® WHEELCHAIR RAMP

THE PERFECT ADD ON FOR DEFENDER MIDI

The Defender® WHEELCHAIR RAMP has been designed for use with the Defender® MIDI cable protection system also providing easy access for walking frames, trolleys and dollies. The set includes a Defender® MIDI cable guard with blue lid and bolt holes for the required ground fixing, 6 threshold ramps and 4 side slants. Made from acid, oil, solvent and gasoline resistant TPU (Thermoplastic Polyurethane) the Defender® WHEELCHAIR RAMP components are also available individually for ramp width extension. Please note: the Defender® Wheelchair Ramp does not support vehicle traffic.

#### DEFENDER® WHEELCHAIR RAMP Set

Art. No.: 85305SET

#### DEFENDER® WHEELCHAIR RAMP Components

Art. No.: **85300BLUE** Defender® MIDI Cable Protector

Art. No.: **85306** Threshold Ramp

Art. No.: **85307L** Side Slant left

Art. No.: **85307R** Side Slant right


Art. No. **85300BLUE**  
(Midi Cable Protector)





Art. No. **85306**  
(Ramp Module)

Art. No. **85307L**  
(Left Side Piece)


Art. No. **85307R**  
(Right Side Piece)







Art. No. **85305SET**  
(Wheelchair Ramp Set)





# DEFENDER<sup>®</sup> BOX

THE SMART LOGISTIC STORAGE SOLUTION

The Defender<sup>®</sup> BOX is the ideal solution for transporting and storing Defender<sup>®</sup> cable protection systems. The sturdy design features a EUR-pallet size base made of heavy duty plastic and hinged steel grate sides for easy loading. For additional convenience the Defender<sup>®</sup> BOX is stackable and collapsible.


## SPECIFICATIONS:

Art. No.:	85BOX
Product:	storage and transport box
Material:	PE and steel with lacquer coating
Load capacity:	≤ 1 t / 2000 lbs
Dimensions (W x H x D):	1250 x 1285 x 840 mm / 49.2" x 50.6" x 33.1"
Weight:	50.5 kg / 111.3 lbs


For loading plan see [www.adamhall.com!](http://www.adamhall.com!)












# REFERENCES



FIND MORE REFERENCES  
 AT [WWW.DEFENDER-PROTECTS.COM](http://WWW.DEFENDER-PROTECTS.COM)





**DEFENDER<sup>®</sup>**  
**CABLE PROTECTION SYSTEMS**  
THE INDUSTRY & EVENT STANDARD








# DEFENDER® REGISTER

Article no.	Model name	Description	Page
85002	3	Cable protector 3-channel	18
85002LUX	3 LUX	Cable protector 3-channel LUX	18
85004	3 connector plugs	Connector plugs for 85002 cable protector 3-channel	18
85008	3 end ramp	End ramp for 85002 cable protector 3-channel	18
85009	3 Curve	45° curve for 85002 cable protector 3-channel	18
85100	Compact	Cable protector 7-channel	28
85103	Compact base	Base for 85100 Cable Protector 5-channel	28
85150	Nano	Cable protector 6-channel	26
85150BLK	Nano black	Cable protector 6-channel with black cap	26
85150LUX	Nano LUX	Cable protector 6-channel LUX	26
85158F	Nano end ramp female	End ramp female for 85150/85150BLK cable protector 6-channel	26
85158M	Nano end ramp male	End ramp male for 85150/85150BLK cable protector 6-channel	26
85160	Office	Cable duct 4-channel black	30
85160GREY	Office grey	Cable duct 4-channel grey	30
85160YEL	Office yellow	Cable duct 4-channel yellow	30
85161	Office curve	90° curve for 85160 cable duct 4-channel	30
85161GREY	Office curve grey	90° curve grey for 85160 cable duct 4-channel	30
85161YEL	Office curve yellow	90° curve yellow for 85160 cable duct 4-channel	30
85168	Office end ramp	End ramp for 85160 Cable duct 4-channel	30
85168GREY	Office end ramp grey	End ramp grey for 85160 cable crossover 4-channel	30
85168YEL	Office end ramp yellow	End ramp yellow for 85160 Cable crossover 4-channel	30
85200	Mini	Cable protector 3-channel	24
85200BLK	Mini black	Cable protector 3-channel with black cap	24
85200LUX	Mini LUX	Cable protector 3-channel LUX	24
85208F	Mini end ramp female	End ramp female for 85200/85200BLK cable protector 3-channel	24
85208M	Mini end ramp male	End ramp male for 85200/85200BLK cable protector 3-channel	24
85210L	Mini left	45° curve left for 85200 cable protector 3-channel	24
85210R	Mini right	45° curve right for 85200 cable protector 3-channel	24
85300	Midi	Cable protector 5-channel	20
85300LUX	Midi LUX	Cable protector 5-channel LUX	20
85301	Midi 4C	Cable protector 4-channel	22
85301LUX	Midi 4C LUX	Cable protector 4-channel LUX	22
85305SET	Midi set	Wheelchair ramp set	32
85306	Wheelchair ramp line	Ramp module	32
85307L	Wheelchair ramp extremity piece left	Left extremity piece	32
85307R	Wheelchair ramp extremity piece right	Right extremity piece	32
85308	Midi end ramp	End ramp for 85300 cable protector 5-channel	20
85310	Midi curve	45° curve for 85300 Cable protector 5-channel	20
85500	XXL	Cable protector 5-channel	16
85500LUX	XXL LUX	Cable protector 5-channel LUX	16
85504	XXL connectors	Two connectors for 85500 cable protector 5-channel	16
85510	XXL end ramp	End ramp for 85500 cable protector 5-channel	16
85600	Ultra L	Cable protector 2-channel	12
85600LUX	Ultra L LUX	Cable protector 2-channel LUX	12
85601	Ultra L 2	Cable protector 2 + 4 channel	14
85601LUX	Ultra L 2 LUX	Cable protector 2 + 4 channel LUX	14
85BOX	Box	Transport box	34





# DEFENDER<sup>®</sup>

## CABLE PROTECTION SYSTEMS

THE INDUSTRY & EVENT STANDARD



**defender-protects.com**

EDITION 2018

The information contained in this publication, including numerical data, has been prepared as a general guide to the products, but intending buyers and users must satisfy themselves as to the suitability and the safety of the products for their particular purposes and duties. No responsibility is assumed for any errors herein. The company reserves the right to alter the designs and material specifications of products shown in this publication without notice.